

4 WIRE APARTMENT SYSTEM LOBBY PHONE

KLP-C420R·KLP-C420

- Simple and luxury design
- Door Open with PIN code and RF card (KLP-C420R only)
- Connection up to 4 units
- Registration up to 250 households
- Easy to operate using to key



SPECIFICATIONS


| Product Name | KLP-C420R | KLP-C420 |
|---------------------------|---|----------|
| Power | DC 15V±1 | |
| Call & Video Waiting Time | 30 second waiting time after call, 3 minutes for call to household. | |
| Call Type | Hands-free Type (2-Way) | |
| Operating Temperature | -10°C~50°C | |
| Body Material | Aluminium, PC, ABS | |
| Mount type | Flush Mount | |
| Dimesion | 174 (W) x 263 (H) x 15 (D)mm | |

ACCESSORY

SV40




KJB-J300



RF CARD



PRODUCT DIMENSION



CONNECTABLE PRODUCT

| | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| VIDEOPHONE KCV-544SD | VIDEOPHONE KCV-A374, D374 | VIDEOPHONE KCV-544, D544 | VIDEOPHONE KCV-504 | VIDEOPHONE KCV-464, D464 |
|  |  |  |  |  |
| VIDEOPHONE KCV-340 | VIDEOPHONE KCV-W354, DW354 | INTERPHONE KIP-602G | Guard phone KAM-D340 | REPEATER KVS-A4P, A8P |

4 WIRE APARTMENT SYSTEM GUARDPHONE

KAM-D340

4
WIRE



- 4" Color digital LCD monitor
- Easy ID/ System type / Guard absence setting by OSD menu
- Call & Communication with household
- Receive call from lobby phone and communication & door open
- Link function to reconfirm a visitor

SPECIFICATIONS

| | |
|-------------|----------------------------|
| Power | DC 15V +-1V 2A |
| Mount Type | Surface mount |
| Dimension | 207(W) x 215(H) x 60(D) mm |
| Lobby phone | KLP-C420, C420R |

4 WIRE APARTMENT SYSTEM REPEATER

KVS-A4P·A8P

4
WIRE



- Audio call with door bell
- Door Open
- Intercom
- Available unit : KLP-C420 / C420R and Repeater KVS-A4P/A8P
- Up to 5 PCS of KVS-A4P/A8P by PS-M2 (12V)

SPECIFICATIONS

| | |
|------------|--------------------------|
| Mount Type | Surface Mount |
| Dimension | 92(W) x 210(H) x 57(D)mm |