


2 WIRE VIDEO SYSTEM FOR VILLA DIAGRAM


KVL-C204i + KEL-212 x 3pcs > UP TO 40 HOUSE



DIRECT BUTTON COLOR VIDEO LOBBYPHONE

2 wire system videophone available
Up to three extension panels available

UP TO 40 HOUSES



DOOR OPENER
DC 15V/2A


2 WIRE APARTMENT SYSTEM Multi Entry Panel Camera

KVL-C202i·C203i·C204i

- Mutual call with residents
 - Easy & simple installation
 - Door Open by I-Button Key (Dallas Chip) *optional
 - Up to 1,300 numbers of I-Button Key registration
 - White LED for visitor recognition at night
- Button type :
 - KVL-C202i : Direct 2 push button type
 - KVL-C203i : Direct 3 push button type
 - KVL-C204i : Direct 4 push button type
- EXTENSION PANEL
 - KEL-212: Direct 12 push button type



COLOR



WHITE

SPECIFICATIONS

Model No.	KVL-C202i / C203i / C204i
Power	DC 12V, 1.5A
Power Consumption	1.2W at stand by 5.6W in operation
Horizontal Resolution	Over 420 TV Lines
Assurance Temperature	-20°C ~ +50°C
TV System	NTSC / PAL
Lens	F = 3.6mm, F : 1.6
Camera Angle	Diagonal 81°(angle adjustable)
AGC Control	Auto
BLC	Auto
Body Material	METAL (Zn, Al)
Min. illumination	0.1 Lux (LED On)
Mount type	Flush Mount
Dimension (mm)	125(W) x 290(H) 48.4(D) mm


CONNECTABLE PRODUCT



CONNECTABLE PRODUCT



PRODUCT LINE UP



SYSTEM CONFIGURATION (UP TO 40 HOUSE)

